Acontrol

Henan Acontrol Remote Electronic Co., LTD

Radio Remote Control Catalog

Date: Jan, 1st. 2021

	\		
Item	Photo	P/N	Description
1		AR2-2S	1.Control Distance:100m 6button single Speed 2.Voltage:DC/AC12V, DC/AC24V,AC36V,AC220V,AC380V, 12-72V Frequency:310-330Mhz 3. Transmitter with Magnetic Key 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.IP65
2		AR2-4S	1.Control Distance:100m 6button single Speed 2.Voltage:DC/AC12V, DC/AC24V,AC36V,AC220V,AC380V, 12-72V Frequency:310-330Mhz 3. Transmitter with Magnetic Key 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.IP65
3	F21-E1B 8 button	F21-E1B	 Control Distance:100m 6button single Speed Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz or 425-446Mhz Transmitter with Magnetic Key One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver S.IP65
4		F23-A++	 Control Distance:100m 8 button Single Speed + 1 Start + 1 stop + 3/4 unuseless Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz Transmitter with Magnetic Key One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver IP65
5	F23-BB	F23-BB	1.Control Distance:100m 2. 10 button Single Speed + 1 Start + 1Stop 3.Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V, AC220V,AC380V, etc Frequency:310-330Mhz 4.Transmitter with Magnetic Key 5. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 6.IP65

Radio Remote Control Catalog				
Date:	Jan.1st,2021			
ltem	Photo	P/N	Description	
1		F24-60	1.Control Distance:100m,dual joystick radio remote control 2.Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V, AC220V,AC380V, etc Frequency:310-330Mhz 3.2 pcs 4 directions 5 Step Joystick Switch in all directions, 2 pcs 2 Step switches,2 pcs 3 Step Joystick Switch 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5. IP65	
2		F23-A++	 Control Distance:100m 8 button Single Speed + 1 Start + 1 stop + 3/4 unuseless Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz Transmitter with Magnetic Key One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver IP65 	
3	F23-BB	F23-BB	1.Control Distance:100m 2. 10 button Single Speed + 1 Start + 1Stop 3.Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V, AC220V,AC380V, etc Frequency:310-330Mhz 4.Transmitter with Magnetic Key 5. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 6.IP65	
4		F21-E1B	1.Control Distance:100m 6button single Speed 2.Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz or 425-446Mhz 3. Transmitter with Magnetic Key 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.IP65	
5		F21-E1	1. Control Distance:100m 2. Speed: 6 button Single Speed + 1 Start + 1Stop 3. Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V, AC220V,AC380V, etc Frequency:310-330Mhz or 425-446Mhz 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5. 10 set per carton 6.IP65	

6		C-E1Q	 Control Distance:200m 6 single speed button+ 1EMS + 1 Rotary/Start switch 3.Voltage: AC65-440VDC, AC12V, DC/AC24V, AC110V, AC220V, AC380V Frequency:310-330Mhz or 425-446Mhz Avaition Connector, very convenient. One Set: 1 transmitter, 1 receiver, 1m cable with receiver IP65, used for outdoor or indoor
7	F21-2S	F21-2S	 1.Control Distance: up to 100 meters 2. 2 button Single speed+ 1 Start + 1 Emergency Stop 3.Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency: 310-330Mhz 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.10 set per carton 6.IP65
8		F21-2D	 Control Distance: up to 100 meters 2 button Single speed+ 1 Start + 1 Emergency Stop Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency: 310-330Mhz One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver S.10 set per carton IP65
9		F21-4S	1.Control Distance:100m 2.4 button single Speed + 1 Emergency Stop + 1 Rotary Switch 3.Voltage:DC/AC12V, DC/AC24V, AC36V, AC48V, AC110V, AC220V, AC380V, etc Frequency:310-330Mhz or 425-446Mhz 4.Receiver Size: 18.7x8.6x7.9cm Net Weight:624g (without wire cable) 5.Transmitter Size: 15.6*5.6*4.9cm N.W.::about 211g (without Batteries) 6. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 7.10 set per carton 8.IP65
10		F21-4D	 Control Distance:100m 4 button double Speed + 1 Emergency Stop + 1 Rotary Switch Voltage:DC/AC12V, DC/AC24V, AC36V, AC48V, AC110V, AC220V, AC380V, etc Frequency:310-330Mhz or 425-446Mhz Receiver Size: 18.7x8.6x7.9cm Net Weight:624g (without wire cable) Transmitter Size: 15.6*5.6*4.9cm N.W.::about 211g (without Batteries) One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 7.10 set per carton 8.IP65

11	F24-6D	F24-6D	 Control Distance:100m 6 button double Speed + 1 Start + 1 Emergency Stop + 1 on/off switch 3.Voltage: DC/AC12V, DC/AC24V, AC36V, AC48V, AC110V, AC220V, AC380V, etc Frequency:310-330Mhz One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver IP65
12	F24-8S	F24-8S	1.Control Distance:100m 2. 8 button single Speed + 1 Start + 1 Emergency Stop + 1 On/Off Swithc 3.Voltage:DC/AC12V,DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 4.IP65
13	F24-8D	F24-8D	1.Control Distance:100m 2. 8 button double Speed + 1 Start + 1 On / Off Switch 3.Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz or 425-446Mhz 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.IP65
14		F24-10S	 Control Distance:100m 10 button single Speed + 1 Start + 1 Emergency Stop + 1 On/ off Switch Voltage:DC/AC12V,DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz or 425-446Mhz One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver IP65
15		F24-10D	 Control Distance:100m 10 button double Speed + 1 Start + 1 Emergency Stop + 1 On/off Switch Voltage:DC/AC12V, DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, etc Frequency:310-330Mhz or 425-446Mhz One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver IP65

16	F24-12S	1.Control Distance:100m 2. 12 button Single Speed + 1 Emergency Stop + 1 on/off Switch 3.Voltage:DC/AC12V,DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, Frequency:310-330Mhz or 425-446Mhz 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.IP65	etc
17	F24-12D	1.Control Distance:100m 2. 12 button double Speed + 1 Emergency Stop + 1 on/off Switch 3.Voltage:DC/AC12V,DC/AC24V,AC36V,AC48V,AC110V,AC220V,AC380V, Frequency:310-330Mhz or 425-446Mhz 4. One Set: 1 transmitter, 1 receiver, 1.5m cable with receiver 5.IP65	etc